



REVISIONS			
REV	DATE	DESCRIPTION	APO
Specification			
Item NO.	SL-355-400-580D15		
Wavelength	355nm		
EFL	580mm		
FL@546nm	612mm		
FFL	703.5mm		
WD	652.31mm		
Scan angle	±28deg		
Scan length	565mm		
Scan field	400mmx400mm		
Input beam Dia(1/e2)	15mm		
M1-M2	16mm		
M2-lens center	25mm		
M2-mount edge	16.69mm		
* Spot size range(1/e2)	25~30um		
Outer diameter	116.1mm		
Thread	M85X1		
Total length	71mm		
Weight	-		
Protective window	φ104X3		
Transmission	>95%		
Telecentricity	<20deg		
Reference Scan Head :			

Remark: the spot size is simulation result, the actual spot size will be subject to material property and working condition etc.

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF WAVELENGTH OPTO-ELECTRONIC(S) PTE LTD. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF WAVELENGTH OPTO-ELECTRONIC(S) PTE LTD. IS PROHIBITED.	TOLERANCES UNLESS SPECIFIED: 0.1	NAME	DATE	WAVELENGTH OPTO-ELECTRONIC(S)	
	SURFACE: Black Anodize	DRAWN	DingWen		14-01-2017
	MATERIAL: AL	CHECKED			NJSL-444 SHEET 1 OF 1
	UNIT: mm	SL-355-400-580D15		REV. A	
SCALE: 1:1					